

3.

Select you AirPort entry, and click the Configure... button.

CARILION CLINIC Carilion-AppNet Wireless Setup (MAC OSX)

Location: Automatic Show: Network Status AirPort AirPort AirPort AirPort Parallels Host-Guest Parallels Host-Guest Parallels Not-Guest is currently active and has the IP address 10.37.229.2 Parallels NAT Parallels NAT Parallels NAT	Location: Automatic Show: Network Status Image: Show: Parallels Host-Guest is currently active and has the IP address Image: Show: Parallels NAT Image: Show: Parallels Nation: Image: Show: Parallels Nati		Show All	Network Q,
AirPort AirPort to connected to the network leafs. You are connected to the lettenset via AirPort. Parallels Host-Guest Parallels Host-Cuest is currently active and has the IP address 10.37.129.2. Parallels NAT Parallels NAT is currently active and has the IP address 10.31.155.2	AirPort Avifurt is connected to the network leafs. You are connected to the Internet Via Alarbort. Parallels Host-Guest Parallels Host-Guest is currently active and has the IP address 10.37.229.2: Parallels NAT Parallels NAT is currently active and has the IP address 10.211.55.2. Built-in Ethernet The cable for Built-in Ethernet is not plugged in.		Location: Show	Automatic Network Status
Parallels Host-Guest Parallels Host-Guest is currently active and has the IP address 10.37.129.2. Parallels NAT parallels NAT is currently active and has the IP address 10.311 SS 2.	Parallels Host-Guest Parallels Host-Guest is currently active and has the IP address 10.37.129.2. Parallels NAT Parallels NAT is currently active and has the IP address 10.211.55.2. Built-in Ethernet The cable for Built-in Ethernet is not plugged in.		AirPort	AirPort is connected to the network leafs. You are connected to the Internet via AirPort.
Parallels NAT Parallels NAT is currently active and has the IP address 10 211 55 2	Parallels NAT Parallels NAT is currently active and has the IP address 10.211.55.2. Built-in Ethernet The cable for Built-in Ethernet is not plugged in.	•	Parallels Host-Guest	Parallels Host-Guest is currently active and has the IP address 10.37.129.2.
INTERNE.	 Built-in Ethernet The cable for Built-in Ethernet is not plugged in. 	•	Parallels NAT	Parallels NAT is currently active and has the IP address 10.211.55.2.
Built-in Ethernet The cable for Built-in Ethernet is not plugged in.		•	Built-in Ethernet	The cable for Built-in Ethernet is not plugged in.

Make sure the **Airport** tab is selected from the top menu, and then place a check in the box labelled **Show AirPort status in menu bar**

		Network	
• • •	Show All	(Q,
	Location: Autom	atic 🔹)
	Show: AirPort	(🔹)
	AirPort TCP/IP	PPPoE AppleTalk Proxi	es
	AirPort ID: (00:16:cb:05:28:07	
	By default, join: Preferr	ed networks	•
	Network Name	Security	
	SMC	None	4
	leafs	None	
	metaliknet	WEP	
	default	None	Ŧ
	+ - Edit		
	AirPort will connect to the fir are available, AirPort will ask the network name to reorder	It available network in the list. If n before joining an open network. I the list.	ione Drag
	Options	AirPort status in menu bar) (?)

4.



CARILION CLINIC Carilion-AppNet Wireless Setup (MAC OSX)

Find and joi	n a Wi-Fi network. and security type of the network you want to
join.	
Network Name:	Carilion-AppNet
Security:	WPA2 Enterprise
Username:	
Password:	
	Show password Remember this network
Show Networks	Cancel



8.

Enter the user ID you use to log in the the MAC with in the "Name:" field and the password for that account into the "Password:" field and click on "Update Settings".

Carilion-AppNet Wireless Setup (MAC OSX)

You are Trust Set	naking changes to your Certifi tings. Type your password to a	icate allow
Nam Passwor	e:	
	Cancel Update !	Setting

When you're connected, the AirPort icon will change from a 'light grey' color to a solid black. The number of solid black lines indicates the **signal strength** (more black bars = stronger signal).

🔊 🔊 🔹 (Charged) 🚺 Fri 11:46 PM 🖇

CARILION CLINIC