



1.

Right click or tap and hold the **network icon** in the *system tray*. A menu appears.




2.

Left click or tap **Open Network and Sharing Center**. Then click or tap **Set up a new connection or network**.



3.


Left click or tap **Manually connect to a wireless network**, then click or tap **Next**.



4.

Enter the information for the **AppNet** network as shown below.

1. Type **Carilion-AppNet**.
2. Select **WPA2-Enterprise** from the dropdown.
3. Select **AES** from the dropdown.
4. Click the checkbox to mark it active.
5. Click the checkbox to mark it active.
6. Click **Next**.



Manually connect to a wireless network

Enter information for the wireless network you want to add

Network name: 1

Security type: 2

Encryption type: 3

Security Key: Hide characters


4 Start this connection automatically

5 Connect even if the network is not broadcasting
Warning: If you select this option, your computer's privacy might be at risk.

6 Next Cancel

5.

Click **Change connection settings**.



Manually connect to a wireless network

Successfully added Carilion-AppNet

→ Change connection settings
Open the connection properties so that I can change the settings.

6.

Click the **Security** tab.



7.


Under *Choose a network authentication method*:

1. Select **Microsoft: Protected EAP (PEAP)** from the dropdown.
2. Uncheck the box next to *Remember my credentials for this connection each time I'm logged in*.
3. Click the **Settings** button.



8.

- a) Uncheck **validate server certificate**
- b) Uncheck **Enable Fast Reconnect**
- c) Click **Configure**. The EAP MSCHAPv2 Properties window opens.



9.

Uncheck **Automatically use my Windows logon name and password** and click **OK**. The EAP MSCHAPv2 window closes.




10.

Click **Advanced Settings**.



11.

Click to check **Specify authentication mode**. From the dropdown, select **User Authentication**, then click **OK**. The *Advanced settings* window closes.



12.

Click **OK** on the *Carilion-AppNet Wireless Network Properties* window. The window closes.
 Click **Cancel** on the *Manually connect to a wireless network* window. The window closes.
 Close any remaining open windows. Setup of the wireless is complete. The next three steps are for authenticating on the wireless. In the future you will begin at this step.

13.

From the taskbar, click the **Wireless** icon. Click **Carilion-AppNet**, then click **Connect**. The *Network Authentication* window appears.


14.

In the *Username* field, type your Active Directory **username** as **Carilion\username**.
 In the *Password* field, type your Active Directory password and click **OK**.



15.

If the *Set Network Location* window appears, click **Work Network**.



16.

Click **Close**.

